

NOTICE TO CONTRACTORS

CALL ORDER F10  
 FEDERAL PROJECT NO. EACIM-80-7(116)  
 LOCATION: ON I-80, HENDERSON - WACO.  
 COUNTIES: YORK

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 05, 2002 At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR:

BITUMINOUS

Length: 18 MILES  
 START DATE 03/31/03 WORKING DAYS 90  
 Price Range \$ 6,000,000 to \$ 10,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %.  
 Plans and specifications may be seen beginning August 13, 2002 at the Lincoln Central Office and August 19, 2002 at the District Engineer's Office at GRAND ISLAND

Additional letting information may be found at the Nebraska Department of Roads' Web Site at <http://www.dor.state.ne.us/letting/>

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

LIST OF PLANS

SHEET NO.	
1	TITLE PAGE
2T1-2T7	TYPICAL CROSS SECTIONS
2S1-2S4	SUMMARY OF QUANTITIES
2N	GENERAL INFORMATION
3 - 21	PLAN SHEETS
22	TRAFFIC CONTROL PLAN--LANE CLOSURE
23	TEMPORARY PAVEMENT MARKING PLAN
24	TYPICAL PAVEMENT MARKING PLAN--INTERSTATE/ EXPRESSWAY WITH PLOWABLE MARKERS
25	DRAINAGE STRUCTURE CROSS SECTIONS
X1 - X19	CROSS SECTIONS

STANDARD PLANS

301-R8	(3 SHEETS) PAVEMENT DETAILS
329-R4	(4 SHEETS) 6 TO 16 INCH CONCRETE PAVEMENT
425-R3	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R3	EROSION CONTROL
920-R5	(2 SHEETS) TRAFFIC CONTROL

PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	36 SHEETS	\$ 7.20
CROSS SECTIONS (SHEETS X1 THRU X19)	19 SHEETS	3.80
STANDARD PLANS	11 SHEETS	2.20

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

## GROUP 9 BITUMINOUS

EROSION CONTROL, TYPE B	11,215 SY
BARRICADE, TYPE II	55,980 BDAY
BARRICADE, TYPE III	1,800 BDAY
TYPE B HIGH INTENSITY WARNING LIGHT	1,530 LDAY
TEMPORARY SIGN DAY	4,380 EACH
SIGN DAY	5,508 EACH
OVERLAY BROKEN LINES	5,719 STA
OVERLAY SOLID LINES	12,102 STA
PLOWABLE PAVEMENT MARKER	1,350 EACH
FLASHING ARROW PANEL	180 DAY
FLAGGING	50 DAY
TRAFFIC CONTROL MANAGEMENT	90 DAY
FIELD OFFICE	1 EACH
MOBILIZATION	LUMP LUMP
GENERAL CLEARING AND GRUBBING	LUMP LUMP
WATER	114 MGAL
REMOVE & RESET DELINEATORS	28 EACH
EARTHWORK MEASURED IN EMBANKMENT	8,450 CY
REMOVE ASPHALT SURFACE	2,684 SY
TIE BARS	724 EACH
9" CONCRETE BASE COURSE	6,929 SY
CONC PVMT REPAIR TYPE A FULL DEPTH	134 SY
CONC PVMT REPAIR TYPE B FULL DEPTH	212 SY
CONC PVMT REPAIR TYPE C FULL DEPTH	1,632 SY
CONC PVMT REPAIR TYPE B PARTIAL DEPTH	11 SY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	28 SY
CONCRETE PAVEMENT, CLASS PR-3625	1,317 SY
JOINT REPAIR	
CONC PVMT THICKNESS CORE	4 EACH
REMOVE & SALVAGE FES	2 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	16 CY
47B-3000 OR AX-3000 CONC FOR CONCRETE CO	1 CY
RE-STEEL FOR COLLARS	102 LB
30" REINFORCED CONCRETE PIPE	12 LF
36" REINFORCED CONCRETE PIPE	22 LF
INSTALL 30" CONC FES	1 EACH
INSTALL 36" CONC FES	1 EACH
4" YELLOW THERMOPLASTIC	209,600 LF
4" WHITE THERMOPLASTIC	240,500 LF
12" WHITE THERMOPLASTIC	6,000 LF
FOUNDATION COURSE REPLACEMENT	1,841 SY
ASPH CONC FOR STATE MAINT PATCHING, TYPE SPS	500 TON
ASPH CONCRETE FOR PATCHING, TYPE SP6(0.5)	100 TON
ASPH CONC, TYPE SPS	19,060 TON
ASPH CONC, TYPE SP6(0.375)	55,270 TON
ASPH CONC, TYPE SP6(0.5)	69,620 TON

□

## GROUP 9 BITUMINOUS

PERF GRAD BIND (58-28)FOR ST MAINT PATCH	27 TON
--	--------

F10NTC09.TXT

PERF GRADED BINDER (58-28)	1,029 TON
PERF GRADED BINDER (70-28)	7,302 TON
TACK COAT	156,830 GAL
RENTAL OF LOADER, FULLY OPERATED	90 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	90 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	90 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	90 HOUR
EARTH SHOULDER CONSTRUCTION	27 STA
SUBGRADE PREPARATION	6,929 SY
COLD MILLING, CLASS 4	1,906 STA
COLD MILLING, CLASS 3	360,229 SY
RUMBLE STRIPS, ASPHALT	3,812 STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

□